#### MATERIAL SAFETY DATA SHEET



Issued: July 30, 2012

Supercedes: April 1, 2011

## ENVIROSTAR GREEN™ FLOOR MAINTAINER

## 1: PRODUCT AND COMPANY IDENTIFICATION

Product Number: 213DD Product Name: EnviroStar Green Floor Maintainer

Product Type: Water based floor coating maintainer

**Manufacturer Address: Contact Information:** Amano Pioneer Eclipse Corporation Telephone: 1-336-372-8080

P.O. Box 909 Email: msds@pioneer-eclipse.com 1 Eclipse Road Internet: www.pioneer-eclipse.com

Sparta, NC 28675

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada +1 703 527 3887 (collect calls accepted)

## 2: HAZARDS IDENTIFICATION

**OSHA status:** Not classified as hazardous.

**Precautions:** Keep container closed when not in use. Keep out of reach of children.

**Potential Health Effects:** 

**Eye Contact:** None expected under normal use. **Skin Contact:** None expected under normal use. Inhalation: None expected under normal use. Ingestion: None expected under normal use.



Health: Flammability:

0 Reactivity:

#### 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product components are not classified as hazardous or are present in concentrations below reportable limits.

#### 4: FIRST AID MEASURES

**Eye Contact:** Rinse with plenty of water. If irritation develops and persists, seek medical attention. **Skin Contact:** Rinse with plenty of water. If irritation develops and persists, seek medical attention. Inhalation: If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.

Ingestion: If ingested, do not induce vomiting. Seek medical attention.

# 5: FIRE FIGHTING MEASURES

**Extinguishing Media:** Dry chemical, water spray, foam, carbon dioxide

**Special Fire Fighting Procedures:** None

**Hazardous Combustible Products:** Materials can splatter above 212 °F / 100 °C **Unusual Fire and Explosion Hazards:** No special fire fighting procedures recommended

## 6: ACCIDENTAL RELEASE MEASURES

Put on personal protective equipment (see Section 8). Keep spectators away. Floors **Personal Precautions:** 

may be slippery: use care to avoid falling.

**Environmental Precautions:** Keep spills and cleaning run-off out of sewers and open bodies of water.

**Containment and Clean-Up** 

Absorb spill with inert material (e.g. sand, earth) and dispose of as waste material in accordance with **Small Spills:** 

local, state and federal regulations.

Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or Large Spills:

disposal and solid diking material to separate containers for disposal.

Landfill or incinerate the contaminated solids and diking material in accordance with local, state and

Waste Disposal: federal regulations. Non-salvageable liquid should be drummed and disposed of in accordance with local,

state and federal regulations.

# 7: HANDLING AND STORAGE

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas. Handling:

Storage temperature (Max. 60°C/140°F - Min. 1°C/34°F). Storage:

Keep from freezing, product may coagulate. Keep container sealed when not in use. Keep out Other information:

of reach of children.

#### MATERIAL SAFETY DATA SHEET



Issued: July 30, 2012

Supercedes: April 1, 2011

# **ENVIROSTAR GREEN™ FLOOR MAINTAINER**

## 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: None

**Engineering Controls:** Ensure adequate general ventilation.

**Personal Protective Equipment (PPE)** 

**Eye/Face Protection:** Safety glasses recommended. Skin Protection: Rubber gloves recommended.

Respiratory Protection: No specific personal protection is required.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: clear, colorless liquid Odor: No fragrance added

Odor Threshold: N/E pH: 9.2

Freezing Point: 32 °F / 0°C

Flash Point: >200 °F / >93 °C

Flammability: Non-combustible

Vapor Pressure: less than water

Boiling Point: 212 °F / 100 °C

Evaporation Rate: less than water

Upper/Lower Flammability limits: N/E

Vapor Density: greater than air

Relative Density: 8.8 lb/gal @ 68°F/ 1.06 kg/l @ 20°C

Partition Coefficient (n-octanol/water): N/E

Decomposition Temperature: N/E

Solubility: 100% soluble in water

Auto Ignition temperature: N/E

Volatile by Weight: 48%

Viscosity: < 10 centipoise @ 68 °F (20 °C) VOC: 0.02% (as supplied), <0.01% (all dilutions)

## 10: STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

Conditions to avoid: None known

Incompatible materials: Strong acids and bases

**Hazardous decomposition products:** None known **Hazardous reactions:** None known

#### 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Not determined on product.

LOCAL EFFECTS SPECIFIC EFFECTS

Skin contact:None expectedCarcinogenicity:None knownEye contact:None expectedReproductive effects:None knownSensitization:None expectedTeratogenicity:None knownChronic effects:None expectedMutagenicity:None known

#### 12: ECOLOGICAL INFORMATION

Ecological data not available.

#### 13: DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, regional, and national regulations.

#### 14: TRANSPORT INFORMATION

This product is not classified as hazardous for transportation.

## 15: REGULATORY INFORMATION

U.S. Regulations/Reporting Components are not subject to US Reporting

State Right to Know Status: Components are not subject to State Right to Know Listing

Canada Regulations/Reporting: This product has been classified in accordance with the hazard criteria of the

Controlled Products Regulations (CPR) and the MSDS contains all of the information

required by the CPR.

WHMIS Hazards: Not a controlled product. Components not subject to disclosure.





Issued: July 30, 2012

Supercedes: April 1, 2011

# **ENVIROSTAR GREEN™ FLOOR MAINTAINER**

## 16: OTHER INFORMATION

Product intended for Commercial and Industrial Use only.

**Abbreviations Used:** 

N/E - Not Established N/A - Not applicable

N/L - Not Listed

Revision History:

07/30/2012- Addition of VOC, Use Statement. Minor changes Section 1, 3, 6, 7, 8, 9, 10, 11, 14

04/01/2011- format change to ANSI Z400.1-2004, density correction

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This MSDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

\*\*IMPORTANT SAFETY INFORMATION\*\*DO NOT DISCARD\*\*PLEASE ROUTE TO COMPANY SAFETY OFFICER\*\*