

Page: 1

Printed: 10/16/2015 Revision: 10/08/2015

### 1. Product and Company Identification

Product Code: MP42940

Product Name: Meltco Premium

Trade Name: Premium Ice Melter

Company Name: Meltco Inc.

7030 Woodbine Avenue

Suite 101

Markham, ON L3R 6G2

 Emergency Contact:
 PERS
 (800)633-8253

 Information:
 Meltco Inc.
 (844)635-8423

#### 2. Hazards Identification

**\** 

Eye Irritation, Category 2A

GHS Signal Word: Warning

GHS Hazard Phrases: Causes serious eye irritation.

GHS Precaution Phrases: Wash hands thoroughly after handling.

Avoid breathing dust.

Wear protective appropriate personal protective equipment.

GHS Response Phrases: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal** 

Phrases:

Store in a closed container. Store in a dry place.

**Potential Health Effects** 

(Acute and Chronic):

Acute: May be harmful in contact with skin or if inhaled. May cause burning of eyes and

flow of tears.

May be harmful if swallowed.

Chronic: May cause kidney damage.

**Inhalation:** Causes respiratory tract irritation. May be harmful if inhaled. No hazard expected in

normal industrial use.

**Skin Contact:** May cause skin irritation. Low hazard for usual industrial handling. May be harmful if

absorbed through the skin.

Eye Contact: May cause eye irritation.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed. No hazard

expected in normal industrial use.

# 3. Composition/Information on Ingredients

CAS # Components (Chemical Name)

7647-14-5 Sodium chloride7447-40-7 Potassium chloride7786-30-3 Magnesium chloride

N/A MCi3



Page: 2

Printed: 10/16/2015 Revision: 10/08/2015

#### 4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other

symptoms appear.

In Case of Skin Contact: Wash skin with soap and water. Get medical aid if irritation develops or persists. Wash

clothing before reuse.

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and In Case of Eye Contact:

lower eyelids. If irritation develops, get medical aid.

In Case of Ingestion: Do NOT induce vomiting. Get medical aid if irritation or symptoms occur. If victim is

conscious and alert, give 2-4 cupfuls of milk or water.

Treat symptomatically and supportively. Note to Physician:

5. Fire Fighting Measures

Flash Pt: No data.

LEL: No data. **Explosive Limits:** UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is

noncombustible. Material will not burn.

Flammable Properties and

Hazards:

No data available.

**Hazardous Combustion** 

**Products:** 

No data available.

#### 6. Accidental Release Measures

Protective Precautions, Protective Equipment and **Emergency Procedures:** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Environmental Precautions:** 

If possible, dispose of unused product by completely using it for its intended purpose

according to label instructions.

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Sweep up or absorb material, then

place into a suitable clean, dry, closed container for disposal.

## 7. Handling and Storage

Precautions To Be Taken in

Handling:

Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use with adequate ventilation. Wash thoroughly after

handling.

Precautions To Be Taken in

Storina:

Store in a closed container and in a dry place.

## 8. Exposure Controls/Personal Protection



Page: 3 Printed: 10/16/2015 Revision: 10/08/2015

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** No data. No data. No data. 7647-14-5 Sodium chloride 7447-40-7 Potassium chloride No data. No data. No data. 7786-30-3 No data. No data. No data. Magnesium chloride

**Respiratory Equipment** 

(Specify Type):

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Respirator protection is not normally required.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Wear appropriate

protective clothing to minimize contact with skin. Protective garments not normally

required.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Good

general ventilation should be sufficient to control airborne levels.

#### 9. Physical and Chemical Properties

Physical States: [ ] Gas [ ] Liquid [ X ] Solid

Appearance and Odor: Translucent green, granular solid.

No apparent odor.

pH: No data.

Melting Point: > 700.00 C

Boiling Point: No data.

Flash Pt: No data.

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = 1): No data.

Bulk density: 65 - 80 LB/CF

Solubility in Water: 357 g/L - (NaCl) at 25.0 C

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: No data.

Decomposition Temperature: No data.

Viscosity: No data.



Page: 4 Printed: 10/16/2015 Revision: 10/08/2015

10. Stability and Reactivity

Stability: Unstable [ ] Stable [X]

Conditions To Avoid -

Instability:

Incompatible materials, dust generation, Excess heat.

Incompatibility - Materials To Strong oxidizing agents, Strong acids, potassium permanganate, attacks metals in the

Avoid: presence of moisture.

Hazardous Decomposition or Hydrogen chloride, chlorine, sodium oxide.

Byproducts:

Possibility of Hazardous

Will occur [ ]

Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:

## 11. Toxicological Information

Toxicological Information: Epidemiology: No information found.

Teratogenicity: No information available.

Neurotoxicity: No data available. Teratogenicity: No data available.

CAS# 7647-14-5: Sodium chloride:

Acute toxicity, TDLo, Oral, Human, 12357. MG/KG, 23 D; American Journal of Digestive Diseases., For publisher information, see DDSCDJ, New York, NY, Vol/p/yr: 21,180,

1954

Acute toxicity, LD50, Oral, Rat, 3.000 GM/KG; Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 20,57, 1971

Acute toxicity, LC50, Inhalation, Rat, > 42.00 GM/M3, 1 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Skin, Species: Rabbit, 50.00 MG, 24 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

CAS# 7447-40-7: Potassium chloride:

Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972



Page: 5 10/16/2015

Printed: 10/16/2015 Revision: 10/08/2015

CAS# 7786-30-3: Magnesium chloride:

Acute toxicity, LD50, Oral, Rat, 2800. MG/KG; Journal of Pharmacology and

Experimental Therapeutics, Williams & Wilkins Co., 428 E. Preston St., Baltimore, MD

21202, Vol/p/yr: 35,1, 1929

Carcinogenicity/Other

Carcinogenicity

Information:

CAS#	Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7647-14-5	Sodium chloride	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.
7786-30-3	Magnesium chloride	n.a.	n.a.	n.a.	n.a.

## 12. Ecological Information

General Ecological

Information:

Other: Do not empty into drains.

CAS# 7647-14-5: Sodium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), egg(s), 7461000. UG/L, 96 H, Mortality, Water temperature: 9.80 C C, pH: 7.65, Hardness: 46.00 mg/L; Criteria Document Data. Memorandum to D.J. Call, Center for Lake Superior Environmental Studies, University of

Wisconsin-Superior. September 16, 1986, Spehar, R.L., 1986

CAS# 7447-40-7: Potassium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), 1610000. UG/L, 48 H, Mortality, Water temperature: 17.00 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H.

Dabrowska, 1993

## 13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous

waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

# **14. Transport Information**

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not Regulated.

DOT Hazard Class: UN/NA Number:



Page: 6
Printed: 10/16/2015
Revision: 10/08/2015

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS# Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI) 7647-14-5 Sodium chloride No No No 7447-40-7 Potassium chloride No No No 7786-30-3 Magnesium Chloride No No No

**This material meets the EPA** [X] Yes [ ] No Acute (immediate) Health Hazard **'Hazard Categories' defined** [ ] Yes [X] No Chronic (delayed) Health Hazard

for SARA Title III Sections [ ] Yes [X] No Fire Hazard

311/312 as indicated: [ ] Yes [X] No Sudden Release of Pressure Hazard

[ ] Yes [X] No Reactive Hazard

CAS # Components (Chemical Name) Other US EPA or State Lists

7647-14-5 Sodium chloride CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,

Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,

Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No

#### 16. Other Information

**Revision Date:** 10/08/2015

Potassium chloride

Magnesium Chloride

Hazard Rating System:

Flammability Instability
Health
NFPA: Special Hazard

Additional Information About No data available.

This Product:

7447-40-7

7786-30-3

Company Policy or

Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Meltco Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.